

## PCCharge™ Client 5.8.2 Supported Hardware List

The following hardware has been tested and found to work with PCCharge Client version 5.8.2. For a list of hardware tested with PCCharge Pro and Payment Server version 5.8.2, please refer to the document PCCharge Supported Hardware List.

Set up each device as specified in the Notes column. If no additional information is given (other than the device to be selected from the drop-down list in PCCharge), use the default settings listed above.

### Report Printers

PCCharge products support any standard Windows compatible printer for report printing.

### Tested Card Readers

Manufacturer	Product	Vista	XP	2003	2000	Notes
IDTech	USB Model # IDT3331-12U	X	X	X	X	Set up in PCCharge as Keyboard Wedge.
IDTech	Serial Model # WCR3321-12		X	X	X	Set up in PCCharge as Serial Reader. <ul style="list-style-type: none"> <li>• Baud = 9600</li> <li>• Parity = Even</li> <li>• Data Bits = 7</li> </ul>
MagTek	Maxi Micr	X	X	X	X	Check and card swipe device. Set up in PCCharge as Keyboard Wedge.
MagTek	Mini Micr	X	X	X	X	Check and card swipe device. Set up in PCCharge as Keyboard Wedge.
SEMTEK	Model 9272USB		X	X	X	Set up in PCCharge as Keyboard Wedge.
Uniform Industrial	USB Model MSR210U-33AUBN		X	X	X	Set up in PCCharge as Keyboard Wedge.


## Tested PIN Pads


Manufacturer	Product	Vista	XP	2003	2000	Notes
Ingenico	3010		X	X	X	Set up in PCCharge as Ingenico 3010.
Ingenico	eN-Crypt 2100		X	X	X	Set up in PCCharge as eN-Crypt 2100.
VeriFone	1000	X	X	X	X	Set up in PCCharge as VeriFone 101/1000. <ul style="list-style-type: none"> <li>• Baud = 1200</li> <li>• Parity = Even</li> <li>• Data Bits = 7</li> <li>• Time Out = 4</li> </ul>
VeriFone	1000SE	X	X	X	X	Set up in PCCharge as VeriFone 101/1000. <ul style="list-style-type: none"> <li>• Baud = 1200</li> <li>• Parity = Even</li> <li>• Data Bits = 7</li> <li>• Time Out = 4</li> </ul>
VeriFone	2000		X	X	X	Set up in PCCharge as VeriFone 2000. <ul style="list-style-type: none"> <li>• Baud = 1200</li> <li>• Parity = Even</li> <li>• Data Bits = 7</li> <li>• Time Out = 4</li> </ul>
VeriFone	Everest		X	X	X	Set up in PCCharge as VeriFone Everest. Device must be on COM port 1. Requires device drivers from VeriFone.
VeriFone	Everest Plus		X	X	X	Set up in PCCharge as VeriFone Everest. Device must be on COM port 1. Requires device drivers from VeriFone.
VeriFone	SC 5000 (MAC)	X	X	X	X	Set up in PCCharge as VeriFone SC 5000 (MAC). Canadian debit processing only. Note that the SC 5000 requires the PIN pad 2000 emulation software to work with PCCharge. <ul style="list-style-type: none"> <li>• Baud = 9600</li> <li>• Parity = None</li> <li>• Data Bits = 8</li> <li>• Time Out = 4</li> </ul>
VeriFone	SC 5000 (DUKPT)	X	X	X	X	Set up in PCCharge as VeriFone SC 5000 (DUKPT). American debit processing only. Note that the SC 5000 requires the PIN pad 2000 emulation software to work with PCCharge. <ul style="list-style-type: none"> <li>• Baud = 1200</li> <li>• Parity = Even</li> <li>• Data Bits = 7</li> <li>• Time Out = 4</li> </ul>

## Tested Check Readers

Manufacturer	Product	Vista	XP	2003	2000	Notes
MagTek	Maxi Micr	X	X	X	X	Check and card swipe device. Set up in PCCharge as Keyboard Wedge.
MagTek	Mini Micr	X	X	X	X	Check and card swipe device. Set up in PCCharge as Keyboard Wedge.

## Tested Receipt Printers

	<b>Note:</b> Windows' generic text printer drivers were used for all printers tested on Windows 2003.
---	---

	<b>Note:</b> Alternatively, you may use the standard Windows compatible printer that is serving as your PCCharge report printer.
---	--

Manufacturer	Product	Vista	XP	2003	2000	Notes
Citizen	CBM 1000		X	X	X	Manual tear-off. Drivers available online. Set up in PCCharge as Roll Printer. Set the Column Width to 40.
Citizen	iDP 3550		X	X	X	Drivers available online. Set up in PCCharge as Roll Printer. Set the Column Width to 40.
Citizen	CPM 10 (without card reader)		X		X	Thermal printer, portable device. Drivers available online. Set up in PCCharge as Roll Printer. Set the Column Width to 40.
Star Micronics	SP2000		X	X	X	Manual tear-off. Drivers available online. Set up in PCCharge as Roll Printer. Set the Column Width to 40.
Star Micronics	TSP143U		X	X	X	Automatically cut-off. Thermal printer. Drivers available online. Set up in PCCharge as Roll Printer. Set the Column Width to 40.
Epson	TM-T90		X		X	Set up in PCCharge as Roll Printer. Drivers available online. Set up in PCCharge as Roll Printer. Set the Column Width to 39.
Epson	M129C TM-T88IIIP		X		X	Set up in PCCharge as Roll Printer. Set the Column Width to 39.

Epson	TMU220B		X		X	Set up in PCCharge as <b>Roll Printer</b> . Set the <b>Column Width</b> to 45.
-------	---------	--	---	--	---	---

## Tested Modems

PCCharge Client relies on either PCCharge Pro or Payment Server for its connectivity to payment processing companies, so PCCharge Client modem compatibility is a non-issue.